


Fig. 1








Fig. 3



H 19. 4



STORING IN DB ACC. TO POLICY  (ANONYMIZED, PSEUDOMIZED)  ANONYMIZED, PSEUDOMIZED HTTP REQUEST (E.G. WITH LEAP NUMBER)  SQL REQUEST(S) FOR DATA  SQL RESPONSE ACC. TO POLICY  HTTP RESPONSE
(ANONYMIZED, PSEUDOMIZED)  ANONYMIZED, PSEUDOMIZED HTTP REQUEST (E.G. WITH LEAP NUMBER)  SQL REQUEST(S) FOR DATA  SQL RESPONSE ACC. TQ POLICY  HTTP RESPONSE
ANDNYMIZED, PSEUDOMIZED HTTP REJUEST (E.G. WITH LEAP NUMBER)  SQL REQUEST(S) FOR DATA  SQL REQUEST(S) FOR DATA  SQL RESPONSE ACC. TO POLICY  HTTP RESPONSE
SQL REQUEST(S) FOR DATA SQL RESPONSE ACC. TO POLICY HTTP RESPONSE
SQL REQUEST(S) FOR DATA  SQL RESPONSE ACC. TO POLICY  HTTP RESPONSE
SQL RESPONSE ACC. TO POLICY HTTP RESPONSE
HTTP RESPONSE :

::




Fig. 7